



OSKAR'S M-800 HIGH TEMP MOULD RELEASE WAX

EU SAFETY DATA SHEET



EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Oskar's M - 800 High Temp Mould Release Wax

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Anticaking agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Wachsfabrik Segeberg GmbH

Asternweg 11

D-23795 Bad Segeberg

Telephone no. +49 (0)4551 30 72

Fax no. +49 (0)4551 30 74

e-mail info@wachsfabrik.de

Information provided by / telephone

+49 (0)4551 30 72

Advice on Safety Data Sheet

info@wachsfabrik.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Gif tinformat ionszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412

Flam. Sol. 2; H228

STOT SE 3; H336

Classification information

Classification as "flammable solid" according to annex I, section 2.7 of regulation (EG) No. 1272/2008.

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS02



GHS07

Signal word

Warning

Hazardous component(s) to be indicated on label:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

Hazard statement(s)

H228 Flammable solid.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P271 Use only outdoors or in a well-ventilated area.
 P370+P378 In case of fire: Use alcohol-resistant foam or extinguishing powder to extinguish.
 P405 Store locked up.
 P501 Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			
	- 927-241-2	Aquatic Chronic 3; H412 Asp. Tox. 1; H304	>= 70.00 - < 90.00	wt%
	-	Flam. Liq. 3; H226		
	01-2119471843-32	STOT SE 3; H336 EUH066		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down). Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.3 Advice for firefighters

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Forms slippery surfaces with water.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Recommended storage temperature

Value	<	30	°C
-------	---	----	----

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: oxidizing agents; Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

8.1 Control parameters

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			-	
				927-241-2	
	dermal	Long term (chronic)	systemic	208	mg/kg/day
	inhalative	Long term (chronic)	systemic	871	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			-	
				927-241-2	
	oral	Long term (chronic)	systemic	125	mg/kg/day
	dermal	Long term (chronic)	systemic	125	mg/kg/day
	inhalative	Long term (chronic)	systemic	185	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment**Respiratory protection**

If ventilation insufficient, use a respiratory protection apparatus.

Eye / face protection

Safety glasses (EN 166)

Hand protection

Besides the suitable material, the choice of protective gloves depends additionally on quality criteria which may vary from one manufacturer to the other. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
pasty; solid
white
Odour
characteristic
Odour threshold
No data available
pH value
No data available
Boiling point / boiling range
No data available
Melting point / melting range

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

No data available	
Setting point / solidification range	
Value	~ 95 °C
Decomposition point / decomposition range	
No data available	
Flash point	
Value	23 °C
Source	Manufacturer
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	0.82 g/ml
Reference temperature	20 °C
Solubility in water	
Comments	partially miscible
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	
9.2 Other information	
Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute oral toxicity**

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

Other information

The product was classified on the basis of the calculation procedure of the regulation (EC) No 1272/2008 (CLP).

SECTION 12: Ecological information**12.1 Toxicity****Toxicity to fish (acute)**

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No

CAS no.

EC no.

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	-	927-241-2
EL50	>	22	- 46 mg/l
Duration of exposure			48 h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability**Biodegradability**

No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	-	927-241-2
Type	aerobic biodegradation		
Value		89	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information**Other information**

Do not discharge into the drains or waters and do not store on public depositories.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	4.1
Classification code	F1
Packing group	II

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

Hazard identification no.	40
UN number	UN3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
Tunnel restriction code	E
Label	4.1

14.2 Transport IMDG

Class	4.1
Packing group	II
UN number	UN3175
Proper shipping name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Technical name	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
EmS	F-A, S-I
Label	4.1

14.3 Transport ICAO-TI / IATA

Class	4.1
Packing group	II
UN number	UN3175
Proper shipping name	Solids containing flammable liquid, n.o.s.
Technical name	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics
Label	4.1

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 40
--	-------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

EU safety data sheet

Trade name: Oskar's M - 800 High Temp Mould Release Wax

Product no.: WFS-034

Current version : 7.2.1, issued: 01.12.2020

Replaced version: 7.2.0, issued: 30.01.2020

Region: GB

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Wachsfabrik Segeberg GmbH
Asternweg 11, D-23795 Bad Segeberg
Germany | Tel +49 (0) 4551 9563-0

Made in Germany

