



OSKAR'S M-200 HEAVY DUTY CLEANER

EU SAFETY DATA SHEET



EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Oskar's M - 200 Extra Heavy Duty Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Polishing agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Wachsfabrik Segeberg GmbH

Asternweg 11

D-23795 Bad Segeberg

Telephone no. +49 (0)4551 30 72

Fax no. +49 (0)4551 30 74

e-mail info@wachsfabrik.de

Information provided by / telephone

+49 (0)4551 30 72

Advice on Safety Data Sheet

info@wachsfabrik.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Gifinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH208

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1). May produce an allergic reaction.

Precautionary statement(s)

-

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

2.3 Other hazards

Please observe the information given in this safety data sheet.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Chemical characterization**

Mixture (preparation)

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics			
	- 918-481-9 - 01-2119457273-39	Asp. Tox. 1; H304 EUH066	>= 10.00 - < 25.00	wt%
2	1,3-dipropylcyclohexane; 2-methylundecane; undecane			
	- 926-141-6 - 01-2119456620-43	Asp. Tox. 1; H304 EUH066	< 2.50	wt%
3	White mineral oil (petroleum)			
	8042-47-5 232-455-8 - 01-2119487078-27	Asp. Tox. 1; H304	< 2.50	wt%
4	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1)			
	55965-84-9 - 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H310 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Dam. 1; H318 Skin Corr. 1C; H314 Skin Sens. 1A; H317 EUH071	< 0.0015	wt%
5	aluminium oxide			
	1344-28-1 215-691-6 - 01-2119529248-35	-	>= 10.00 - < 25.00	wt%
6	glycerol			
	56-81-5 200-289-5 - -	-	< 5.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
4	-	Skin Sens. 1A; H317: C >= 0.0015% Eye Irrit. 2; H319: C >= 0.06% Skin Irrit. 2; H315: C >= 0.06% Skin Corr. 1C; H314: C >= 0.6% Eye Dam. 1; H318: C >= 0.6%	M = 100	M = 100

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.).

After ingestion

Seek medical advice immediately. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down). Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

5.3 Advice for firefighters

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: oxidizing agents; Do not store together with foodstuffs.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	aluminium oxide	1344-28-1	215-691-6
List of approved workplace exposure limits (WELs) / EH40			
Aluminium oxides			
total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
List of approved workplace exposure limits (WELs) / EH40			
Aluminium oxides			
respirable dust			
	WEL long-term (8-hr TWA reference period)	4	mg/m ³
2	glycerol	56-81-5	200-289-5
List of approved workplace exposure limits (WELs) / EH40			
Glycerol mist			
	WEL long-term (8-hr TWA reference period)	10	mg/m ³

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	White mineral oil (petroleum)			8042-47-5 232-455-8	
	dermal	Long term (chronic)	systemic	220	mg/kg/day
	inhalative	Long term (chronic)	systemic	160	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	White mineral oil (petroleum)			8042-47-5 232-455-8	
	oral	Long term (chronic)	systemic	40	mg/kg/day
	dermal	Long term (chronic)	systemic	93	mg/kg/day
	inhalative	Long term (chronic)	systemic	35	mg/m ³

8.2 Exposure controls

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

Appropriate engineering controls

No data available.

Personal protective equipment**Respiratory protection**

If ventilation insufficient, use a respiratory protection apparatus.

Eye / face protection

Safety glasses (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
solid	
Form/Colour	
viscous	
white	
Odour	
characteristic	
pH value	
Not applicable	
Boiling point / boiling range	
Value	appr. 100 °C
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	> 62 °C
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

Relative density	
No data available	
Density	
Value	appr. 1.05 g/ml
Reference temperature	20 °C
Solubility in water	
Comments	partially miscible
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	
Viscosity	
No data available	
Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Type of examination	in vitro gene mutation study in mammalian cells		
Species	Mouse lymphoma cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Type of examination	Toxicity study		
Species	rat		
Method	OECD 415		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
-----------------	--	--	--

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Route of exposure		oral	
Type of examination		Toxicity study	
Species		rat	
Method		OECD 453	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Route of exposure		oral	
Species		rat	
Method		OECD 453	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
Species		rat	
Method		OECD 412	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		dermal	
Species		rat	
Method		OECD 411	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard

No data available

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

The product was classified on the basis of the calculation procedure of the regulation (EC) No 1272/2008 (CLP).

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
LL50		>	10000 mg/l
Duration of exposure		96	h
Species		Leuciscus idus	
Method		OECD 203	
Source		ECHA	

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
EL50		>	100 mg/l
Duration of exposure		48	h
Species		Daphnia magna	
Method		OECD 202	

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

Source	ECHA
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No data available	
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	White mineral oil (petroleum)	8042-47-5	232-455-8
Type		aerobic biodegradation	
Value		31	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		potentially biodegradable	

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Further information

This SDS has been classified and prepared according to the 13th ATP of EU Regulation 1272/2008 (CLP).

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

EU safety data sheet

Trade name: Oskar's M - 200 Extra Heavy Duty Cleaner

Product no.: WFS-038

Current version : 9.0.2, issued: 23.07.2021

Replaced version: 9.0.1, issued: 23.01.2020

Region: GB

H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

This information is based on our present knowledge and experience.
The safety data sheet describes products with a view to safety requirements.
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Wachsfabrik Segeberg GmbH
Asternweg 11, D-23795 Bad Segeberg
Germany | Tel +49 (0) 4551 9563-0

Made in Germany

